

WILWOOD Combination Remote Master Cylinder Kit

Precision machined from high strength aluminium, includes both small and large reservoirs which can be mounted on the master cylinder or remotely for easier access. Standard mounting configurations provide easy applications for racing 7/8" Combination M/C Kit WB260-3376

15/16" Combination M/C Kit 1" Combination M/C Kit

WB260-3378

Rebuild Kit, 7/8" Combination Rebuild Kit, 1" Combination WB260-3882 WB260-3883

WILWOOD High Volume Master Cylinde

The highest fluid capacity of any integral reservoir design. There is at least 26% more fluid than most competitive brands. More fluid volume means cooler temperatures and additional insurance for extreme conditions where high pad wear can compromise fluid levels during long events.

High-Volume M/C – 7/8" Bore

High-Volume M/C – 1" Bore

WB260-6765 WB260-6766

WILWOOD Residual Pressure Valves

Retain a minimum brake line pressure to help eliminate excessive pedal travel. Residual pressure prevents fluid from flowing back without causing the brakes to drag. Made from hillet aluminium

2lbs. Residual Valve w/Fittings WB260-3278

Master Cylinder Return

Spring & Washer Kit

Riding the brake pedal and heating the fluid can lead to brake fade. This kit will eliminate most of those problems by adding enough return pressure to release the brakes fully. RS-KRP352



SPP Master Cylinder to Brake Pedal Bolt 5/16-24 x 2-1/4 SPPHH312-24-2250

BRAKE LINES & FITTINGS

#2AN Brake Line Kits

Universal length makes them suitable for most chassis. These hoses allow you to create improvements on caliper piston pressure. Improvina braking power. Assembled with

hraided stainless hose and crimned style aluminium hose ends. Kits available to suit cars utilising 2 or 3 calipers.

2 Caliper Kit 3 Caliper Kit RS-KAFOO2 RS-KAE002-3

#2AN Brake Lines with #3AN Fittings

These hoses allow you to create Improvements on caliper piston pressure, Improving braking power Assembled with braided stainless hose and crimped style aluminium

hose ends. 18" Long Straight/90° 20" Long Straight/Straight 24" Long Straight/Straight 20" Long Straight/90°

RS-KAEBO218 RS-KAEB020 RS-KAF-R0224

#2AN Cross Over Kit

Suitable for dual inlet calipers, when you are



Kevlar Brake hoses with aluminium fittings available in an assortment of lengths and styles. -3AN 18" Long Straight/Straight

-3AN 18" Long Straight/90° -3AN 22" Long Straight/Straight -3AN 24" Long Straight/Straight -3AN 24" Long Straight/90°

RED-GOD03-006 RED-GODO4-002 RED-GODO3-007 RED-GOD04-016







AEROFLOW Quick Release Dry Brake Fittings Aluminium Q/R Coupling

Titanium Q/R Coupling Stainless Steel O/R Counling AFQR103-03 AFQR104-03 AFOR105-03



QUICK RELEASE BULKHEAD FITTINGS

Quick Release EPDM seal with bulkhead. For use with brake* or clutch

*(NOT for road use Off-road and race use only)
AFQR103-03BH -3 Aluminium

NOT suitable for fuel or oil.



QUICK RELEASE LIGHT WEIGHT TITANIUM FITTINGS

Aeroflow's Small Diameter Titanium quick release fitting are even lighter and more compact than before. These super lightweight small diameter fittings are made from Titanium. They have been tested up to 15000psi and are fitted with EPDM seals and are a perfect choice for brake* (NOT for road use Off-road and race use AFOR104-03SD

NOT suitable for fuel or oil.

. brake fluid to the canister, pump

up the pressure and crack each

Fits most master cylinders.

Pressurized

Brake Bleeder New simple and effective pressure brake bleeder. Add



BRAKE FLUID

RED DEVIL Brake Fluid

This fluid is designed for extreme service, and has a boiling point over 600°. A non-silicone based fluid that will not turn black through severe heat like most competitive brake fluids. Red Devil Fluid also contains special additives to aid in lubricating and galling.

RFD-III R9001032



WILWOOD EXP 600 Plus Brake Fluid

Highly refined blend developed for high performance under hardcore heat and pressure. A dry boiling point of 626°f, exceeding any DOT or SAE spec. EXP 600 Plus has a low moisture absorption rate. It also resists aeration and compressibility after numerous heat and pressure cycles.

WB290-6209



WILWOOD Hi-Temp 570 Brake Fluid Specially formulated racing fluid with a dry

boiling point of 570°f. This fluid can withstand the severe environments of racing. Low viscosity allows for easy bleeding, eliminating fluid aeration which is caused by foaming due to excessive pedal pumping.

WR290-0632



TITANIUM FASTENERS & KITS



market. One nut shock style.

Maxim Kit SPPMAX



ASTRO

Titanium Bolt Kit

Light weight titanium bolt & fastener kit to suit most common chassis. One nut shock style.

Maxim Kit AST-MAX

AST-JJ



FASTENER KITS

Assorted Nyloc Half Nut Kit RS-KRP007



Assorted AN Washer Kit

A great selection of 060" AN washers to keep on hand. Organised in a plastic case RS-KRP004



Assorted Pop Rivet Kit

A selection of steel rivets, aluminium rivets and backing washers to work with most sprintcar applications. Organised in a plastic case. RS-KRP002





using #2 brake hoses through the car. RS-KRP-514-2



Aluminium Spacer Kit

Supplied in a plastic case, and great for when you need to space a shock or radius rod. Contains: 1/2" tapered spacers. 16 piece kit.

Alullilliulli 1/2 Spaceis	
1/4" Spacer – 10 Pack	RS-AS1-10
3/8" Spacer – 10 Pack	RS-AS2-10
1/2" Spacer – Pair	RS-AS2-2
3/4" Spacer – Pair	RS-AS3-2
1" Spacer – Pair	RS-AS4-2
1-1/4" Spacer – Pair	RS-AS5-2



Top Steer Plate to Chassis **SPP** 1/4 - 28 x 1-1/2" **SPPHH250-28-1500**

Wing Pinch Bolts to

SPP 5/16-24 x 1-1/2"

Steering Wheel Bolts

Ball Retainer to Ball

SPP 5/16-18 x 1-1/4" **SPPHH312-18-1250**

Wheel Centre Pinch

Wing Ram to Tree

SPP 3/8-24 x 1-1/2"

Torque Ball Housing to

Motor Plate

3/8-16 x 1-1/8"

SPP 3/8"-24 SPPTPN-375-24

SPPHH375-16-1125

SPP

SPPHH375-24-1500

SPP

5/16-18 x 5/8"

Housing

Rolt

SPP

5/16-24 x .750" SPPHH-312-24-750

SPPHH-312-18-625

SPPHH312-24-1500



Wing Slider Valve to



Master Cylinder Hod End to **Brake Pedal & Chassis SPP** 5/16-24 x 2-1/4" SPPHH312-24-2250

Fuel Cell Bolts

5/16-18 x 3/4" SPPTP-312-18-750

Bead Loc Bolts

SPPHH-312-18-100

Torsion Stops & Arms,

Pitman Arm Pinch Bolt

Rear Motor Plate to Chassis

Front & Rear Motor

Plate to Block

SPP 3/8-16 x 1-1/8"

SPPHH375-16-1125

Header Studs

SPP 14 Piece Kit – Includes Titanium Nuts SPPHS-KIT-SARP

Torque Tube Studs

SPP 6 x 3/8-24-16 x1.900'

Supplied with ARP 12 Point

SPP 3/8-24 x 1 875

SPPHH375-24-1875S

SPP 3/8-24 x 2-3/8"

SPPHH375-24-2375

SPP 5/16-18 x 1-1/4"

SPP



SPP Half Box to Chassis Bolt Hex Head 5/16-24 x .750° SPPHH-312-24-750

SPP Right Front Steer

Reduced Hex ½-20 x 1.750" SPPRH50020-1750D

Arm Bolt Drilled



SPP Steering Box Clamp Bolt Hex Head 3/8-24 x 1.000' SPPHH375-24-1000



SPP Steering Wheel Bolt Hex Head 5/16-18 x .625" SPPHH-312-18-625



SPP Torque Tube Stud Kit with Titanium 12pt Nuts SPPTTSTKIT-TN-TP



SPP Titanium Hex Head Floor Pan Bolt 10-32 x 625' SPPHH-10-32-625



SPP Titanium 12pt Bolt 5/16-18 x 1.750" SPPTP-312-18-175



SPP Titanium 9/16 Hex Radius Rod - Axle Bolt 1/2-20 x 1.250" SPPRH500-20-1250



SPP Titanium 12pt Head Bolt 5/16-18 x 1.750" SPPHH312-18-1750 SPPHH500-20-2025 1/2-20 x 2.025





SPP Titanium Hex Head Bolt 1/2-20 x 1.560'





SPP Titanium Button Head Bolt Top Fuel Plate Kit (x12) SPPTFT-KIT



SPP Titanium 9/16" Hex Radius Rod Bolt Kit Includes titanium nylon locking jet nuts SPPRR-KIT



SPPDMI-STBH-KIT

SPP Titanium Ball Housing Stud Kits Includes Titanium nylon locking flange nuts Suit VMAC Housing SPPVK-ATBH-KIT Suit Winters Steel Housing SPPW-STBH-KIT

Suit DMI Steel Housing

SPP Titanium	Button Head Seat Bo
3/8-24 x 1.750"	SPPLBH37524-1750
3/8-24 x 2.000"	SPPLBH37524-2000
3/8-24 x 2.250"	SPPLBH37524-2250
3/8-24 x 2.500"	SPPLBH37524-2500
3/8-24 x 2.750"	SPPLBH37524-2750
3/8-24 x 3.000"	SPPLBH37524-3000
3/8-24 x 3.250"	SPPLBH37524-3250
3/8-24 x 3.375"	SPPLBH37524-3375
3/0-24 X 3.3/3	SPPLBH3/324-33/3

HRP Spacer Kits All kits contain 70 pieces. 1/4" I.D Spacer Kit 5/16" I.D Spacer Kit 3/8" I.D Spacer Kit 7/16" I.D Spacer Kit







HRP-53654





XXX SPRINT CAR BOLT KIT

Includes everything you need to put together your Triple X Sprint Car. Packaged separately so you know exactly where they go and complete with a list of all of its contents. Each package is marked with its location and extra nuts and washers are provided. All Bolts are Grade 8 with Nylock Thin Nuts and AN Washers. Complete with Torque Tube Studs, Jacobs Ladder Pins with Spring's and Clips, Perfect length Tail Tank Bolts, Lower Motorplate Bolts, Bell Crank, Pedals, Wings, Steering, Brakes, Front End, Engine Mounting to Chassis, Shocks, Radius Rods and More!

INDIVIDUAL TITANIUM FASTENERS



Nerf Bar Bolts **SPP** 10/32 x 1-1/2" SPPHI -10-32-1500



Nose Wing to Posts & Straps SPP 1/4-28 x 5/8" SPPHH-250-28-625



Floor Pan to Chassis, Gas Pedal to Floor **SPP** 1/4-28 x 1/2"



Top Fuel Plate to Tank **SPP** 1/4-28 x 7/8" SPPHH-250-28-875



SPPHH-250-28-500

Fuel Pump Pinch Bolt makes pump removal a breeze with extra-long jet head. SPPRHFPC250-20-1



Steel Nuts

SPP Titanium Red Devil Inboard Caliper Bracket - Housing Bolt

7/16-14 x 1.200" SPPCSH43714-1200



Countersunk Reduced Hex





Motor Plate to Top

SPP 3/8-16 x 2-1/2" SPPHH375-16-2500



SPP 3/8"-16 x .700" SPPHH-375-16-700

Power Steer Clamp, Rear Wing Tree, Front Motor Plate to Chassis, Left Front Caliper



SPP 3/8-24 x 1" SPPHH375-24-1000



Quick Release Ladder to Bird Cage Pin **SPP** 1/2 x 1-7/16" **SPPPIN-500-1140**



Uni Joint to Crank Bolt Jet Head

SPP 4 x 7/16-20 x 0.875" SPPRH-437-20-875



Inboard Caliper Bolt

SPP 7/16-14 x 1.375" **SPPRH437-14-1375**

Left Front Rotor Bolts



SPP 1/2"-20 x .750" Suit Wilwood / DMI Rotor SPPCS-500-20-750



Right Front Steering Arm to Spindle SPP

1/2-20 x 2.025" SPPHH500-20-2025



Lower Rear Shock to Arm

SPP 1/2-20 x 3.020" **SPPONS50020-3020**



Front Axle to Radius Rod

SPP 1/2-20 x 1-1/4" SPPHH50020-1250A



SPP 1/2"-20 x .900" Suit Red Devil Rotor ONLY SPPCS-500-20-900



Left Front Steering Arm to Spindle SPP

1/2-20 x 2.0" SPPCS50020-2000A



Lower Front Shock to Axle

SPP 1/2-20 x 1-1/4" SPPHH5020-1250A

Panhard & Radius Rods & Shock to Chassis



SPP 1/2-20 x 3.370" SPPONS50020-3370



Radius Rod to Bird Cage Bolt

SPP 1/2-20 x 1-5/16" **SPPRH500-20-1375**



SPP 1/2-20 x 4 070"

SPPONS50020-4150

BIRDCAGE Heim Bushing

When you want to use a 3/8" pin or bolt to fix the ladder to the birdcage these bushes slide into the bearing and turn the 1/2" hole into 3/8" RS-MDR800

SPP One Nut Stud with Internal Hex 1/2-20 x 1.895 SPPONS500-20-1895





Take any chassis with 1/2" through bolt style pick up's, run the guided M14 tap straight into the spud and you now have a threaded shock or radius rod mount. Use Smith's universal Titanium stud that are an M14 thread on the chassis side and the standard 1/2"-20 on the bearing side and you now have an extremely light and simple

M14 / 1/2"-20 Titanium Stud

M14 Tap

SPP50020M1415189 SPPT-M14-M1.5

Black Steel 1/2"-20 Hi-Lok press fit steering stud. SPPHLS50020-2000 Arms must be reamed for fitment.



HRP 1/2" Heim Washer

Sold individually

HRP-5350

SPP Titanium Stud

Suitable for Steering and Pitman arms, threaded radius rod and shock chassis pick ups and threaded shock mounts on front axles. 1/2-20 x 2.020

SPPONS50020-2100



SPP O-Ring Spacer SPP7075-0R-375



SPP O-Ring Spacers

Aluminium spacers, with O-Rings seated inside so they do not fall off the bolt or stud they are mounted on.

0.375" Spacer -0.875" Spacer - Suit Shocks 0.250" Spacer

Suit Steering Arm Bolts / Studs

SPP7075-0R-375 SPP7075-0R-875 SPP7075-OR-250

RACEBOLT Nerf Bar Bolt Kit

12 x 10/32" steel cap screw, supplied with nuts and washers RB-14BBK



WHEEL STUDS



SPP Titanium Wheel Studs

Available in either countersunk or hex head to suit all brands of hubs. Sold Individualy

Hex Head (DMI / WINTERS / SANDER) Countersunk (WELD)

SPPBH375-16-1250 SPPCS375-16-1250

SPPSHN-187

SPPSNI N-10-32 SPPSHN-250

SPPSNLN-250-28 SPPSHN-312

SPPSNLN-312-24

SPPSNLN-375-24

SPPSNLN-437-20

SPPSNLN-500-20

SPPSHN-375

SPPSHN-437

SPPSHN-500

NUTS, WASHERS, RUE CLIPS & RIVETS



NYLOC Half Nuts

3/16 UNF Nyloc Half Nut – EA 3/16 UNF Nyloc Half Nut (Black)— EA 1/4" UNF Nyloc Half Nut — EA 1/4" UNF Nyloc Half Nut (Black) – EA 5/16" UNF Nyloc Half Nut – EA 5/16" UNF Nyloc Half Nut (Black)– EA 3/8" UNF Nyloc Half Nut – EA 3/8" UNF Nyloc Half Nut (Black)- EA 7/16" UNF Nyloc Half Nut - EA 7/16" UNF Nyloc Half Nut (Black) – EA 1/2" UNF Nyloc Half Nut – EA 1/2" UNF Nyloc Half Nut (Black) – EA

SPP 1/2-20 Aluminium Half **Nvloc Nut** SPPHN-500-2024





Spring Cotter Pins

Small Cotter Pin HRP-5910 Large Cotter Pin HRP-5911



Rue Clips

Sold individually 5/16" HRP-8

HRP-8409-5/16 3/8" HRP-8409-3/8 1/2" HRP-8409-1/2



Steel Jet Nut Kit RS-KRP008

Rue Clip – Addition HRP-8409-1/4 Cotter Pin Small HRP-5910 Cotter Pin Medium HRP-5911



SPP Titanium 15/16 Hex Jam Nut 5/8"-18 SPPTJMN-625-18

SPP Titanium 5/8 Hex Jam Nut 7/16-20 SPPTJMN43720-625



SPP 12pt Nut with Captive Washer 1/4-28 SPPTPSN-250-28 5/16-24 SPPTPSN-312-24

SPP 1/2-20 Titanium Nyloc .let Nut SPPTJTN50020-330



SPP Titanium **Hex Nuts** 3/8"-16 SPPFLTN-375-16







nut seperately.

SPPSHNFL-500-20

SPP Chassis

Weld on Half Nuts

Designed to weld onto your

that a stud or bolt will thread

in without having to attach a

chassis pick up points, so

SPP Aluminium Jet Nuts 10/32" SPPJTNA187-10-32 1/4"-28 5/16"-24 SPPJTNA-250-28 SPPJTNA-312-24

SPP Jet Nuts

3/8 x 3.650°

10/32" SPPSJTN187-10-32 1/4"-28 5/16"-24 SPPS.ITN-250-28 SPPSJTN-312-24 7/16"-20 SPPSJTN-437-20 1/2"-20 SPPS.ITN-500-20



SPP Titanium Ladder Pins 3/8 x 3.500" SPPPIN-375-3500

SPPPIN-375-3650

SPPPIN-500-1140



SPP Titanium Wing Ram Clevis Pin 3/8 x .750' SPPPIN-375-750



SPP Titanium Wing Tree Pin 1/4" with clip SPPPIN-250-840

Titanium 3/8" Washers 10Pk **HRP-5016**







3/16' SPPSSW-187 1/4' SPPSSW-250 5/16" 3/8" SPPSSW-312 SPPSSW-375 1/2 SPPSSW-500

3/16" - Black



3/16" SPPAW-187 1/4" SPPAW-250 5/16" SPPAW-312 3/8" SPPAW-375

1/2

HRP Rivet Packs Kits contain 250 multi grip rivets. HRP-VFT9050 3/16" HRP-VFT9051



SPPAW-500

